

# 3D forward-facing step flow at $Re_H = 8000$



Database in progress ... it is currently uncompleted

**Author** : Y. Fraigneau CNRS-LIMSI (yann.fraigneau@limsi.fr)


**Date** : August 2020

**Simulation type** : DNS ([Sunfluidh code](#))

**Location** : DATABASE\_FORWARDFACINGSTEPFLOW1\_RE8000\_DNS

**Status** : Restricted access

**Data size** :  $\sim 3.2$  Tb




[Come back to first page](#)

---

## Simulation settings

---

## 2D sketch



## Referential : cartesian geometry

1. axes :
  - $x(i)$  : downstream direction
  - $y(j)$  : normal direction
  - $z(k)$  : spanwise direction
2. origin :
  - $x_0 = 0$  : the step
  - $y_0 = 0$  : the bottom wall of the domain
  - $z_0 = 0$  : the left side of the computational domain

## Reference scales

- Density : mass density of the fluid ( $\rho_0$ )
- Length : step height ( $H$ )
- Velocity : inlet bulk velocity ( $U_i$ )
- Dynamic viscosity : dynamic viscosity of the fluid ( $\mu_0$ )
- Reynolds number :  $Re_H = \frac{\rho_0 \cdot U_i \cdot H}{\mu_0} = 8000$

## Non-dimensionalised data

- velocity :  $U^* = \frac{U}{U_i}$
- density :  $\rho^* = \frac{\rho}{\rho_0} = 1$
- coordinates :  $x^* = \frac{x}{H}$ ,  $y^* = \frac{y}{H}$ ,  $z^* = \frac{z}{H}$

## Computational domain

1. **Domain scope**
  - Downstream direction ( $x$ ) :  $L^* = 34.0$
  - Normal direction ( $y$ ) :  $H_t^* = 22.0$
  - Spanwise direction ( $z$ ) :  $l^* = \pi$

- Step position :  $L_s^* = 14.0$
- Step height :  $H^* = 1$

### 1. Boundary conditions

- Inlet : Blasius' profile at  $X_{in}^* = -14.0$ ,  $\delta_{in} = \frac{H}{3}$  (boundary layer's thickness)
- Outlet : Orlansky's type at  $X_{out}^* = 20.0$
- Wall conditions : Top and low walls of the domain
- Periodicity : lateral ends of the domain

### 2. Domain decomposition (200 MPI subdomains)

- Along the downstream direction :
  - 15 (between the inlet and the outlet, above the step)
  - 10 (between the inlet and the step)
- Along the normal direction : 4
- Along the spanwise direction : 4
- 2D sketch of domain decomposition in a plan  $\{xy\}$  (MPI process distribution (1))
 

```

1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 0 0 0 0 0 0 0 0 0
      
```

### 3. Spatial resolution

- Grid :  $128 \times 192 \times 96$  per subdomain (471.859.200 cells over the domain)
- About cell-size
  - $\Delta x_{min}^* = 1.0 \times 10^{-2}$   $\Delta x_{max}^* = 2.5 \times 10^{-2}$  (downstream direction)
  - $\Delta y_{min}^* = 1.5 \times 10^{-3}$   $\Delta y_{max}^* = 7.5 \times 10^{-2}$  (normal direction)
  - $\Delta z_{min}^* = \Delta z_{max}^* = 8.18123 \times 10^{-3}$  (spanwise direction)

[Come back to first page](#)

## Data features

- **Time series from probes** : U,V,W,P (velocity components & pressure)
  - Physical quantities : velocity components along x, y and z directions (u,v,w) and pressure (p)
  - 5 probes
  - Time step = 0.0126 time unit
  - Time range : 188.37 to ?? time units
  - Locations (In vertical plan at  $z=1.57$ )
    - $X_i = -0.250$  ,  $X_j = 0.250$  ,  $X_k = 1.57$  - MPI Subdomain ID :
    - $X_i = 0.125$  ,  $X_j = 1.125$  ,  $X_k = 1.57$  - MPI Subdomain ID :
    - $X_i = 1.000$  ,  $X_j = 1.125$  ,  $X_k = 1.57$  - MPI Subdomain ID :
    - $X_i = 1.000$  ,  $X_j = 1.250$  ,  $X_k = 1.57$  - MPI Subdomain ID :
    - $X_i = 4.000$  ,  $X_j = 1.125$  ,  $X_k = 1.57$  - MPI Subdomain ID :
- File name (per physical quantity):  $x\_ins\_yyyyy.d$  with  $x = u,v,w,p$  and 'yyyyy' the MPI subdomain ID

- **3D snapshots**

- Instantaneous fields : velocity components in x, y and z directions (U,V,W) and pressure (P)
- Recording rate : 0.9 time units (until time= 300.877) - 0.3 time units (until time= ??)
- Time range from 189.877 to ?? time units
- File name : res\_XXXXX\_yyyyyyy.d (XXXXX : MPI subdomain ID, yyyyyyy : Time ID)
  - MPI subdomain ID: from 0 to 199
  - Time ID : from 69 to ??

- **2D slices**

- Instantaneous fields : velocity components in x, y and z directions (U,V,W) and pressure (P)
- Recording rate : 0.3 time units
- Time range from 189.877 to ?? time units
- File name : slice\_n\_idir\_XXXXX\_yyyyyyy.d (n : slice number ID, idir : direction= 1: x(i), 2: y(j), 3: z(k), XXXXX : MPI subdomain ID, yyyyyyy : Time ID)
  - MPI subdomain ID: ??
  - Time ID : from 748 to ??

- **Statistics**

- fields : (i,j : indexes of direction x, y or z)
  - Mean fields of velocity components ( $\langle U_i \rangle$ ) and pressure ( $\langle P \rangle$ )
  - Mean fields of quadratic quantities ( $\langle P^2 \rangle$ ,  $\langle U_i U_j \rangle$ )
- Time and space average computation (along the spanwise direction)
- Time startup = 200.0 time units
- Time range per file = 10.0 time units
- Total time range from 200.0 to ?? time units
- file name : rst\_XXXXX\_yyyyyyy.d (XXXXX : MPI subdomain ID, yyyyyyy : Time ID)
  - MPI subdomain ID : from 0 to 49 (MPI process rank where results about space average computation are stored)
  - Time ID : from 1 to ?

[Come back to first page](#)

---

## Database organisation

---

**Data size** : ~ ?? Tb

**Main directory** :

/vol/DATABASE\_MECA/RESTRICTED\_ACCESS/DATABASE\_BACKFACINGSTEPFLOW\_RE6000\_DNS

For more details about files, see the [the wiki doc of Sunfluidh](#)

## Directories & files

```
/GRID : contains all ASCII files about grid setup
input data file           : data_meshgen.d
report on grid features   : report_meshgen.d
```

```
grid files for sunfluidh: maillx.d, mailly.d, maillz.d
check files (ASCII)      : check_mesh_I.d,check_mesh_J.d,check_mesh_K.d
                           (3 columns : indices, cell-face coordinates,
cell size)
/DATASETUP               : ASCII files
input data file for sunfluidh : input3d.dat
data file for MPI subdomain distribution (MPI graphical topology):
data_mpi_subdomain_layout.dat
/TIMESERIES : contains time series recorded over the time range
[188.37,??]
                ASCII files : x_ins_yyyyy.d   with x= u,v,w,p
                time series files are sliced in storage directories CAS-
MPI200-n (n from 130 to ??)
/SHOTS : snapshots binary files res_xxxxx_yyyyyyy.d
        files stored in archive files : res_yyyyyyy.tar for each
time ID
/STATISTICS : statistics binary files rst_xxxxx_yyyyyyy.d
             files stored in archive files : res_z.tar , z is an ID
number (from 1 to ??)
/SLICES      : slice binary files slice_n_idir_xxxxx_yyyyyyy.d
             files stored in archive files : slices_z.tar , z is an ID
number (from 131 to ??)
/RESTART_AR : backup/restart archive save.tar at time ??
```

[Come back to first page](#)

From:  
<https://datasetmeca.lisn.upsaclay.fr/> - **CFD DATABASE**

Permanent link:  
[https://datasetmeca.lisn.upsaclay.fr/doku.php?id=datasetmeca:ffsflow\\_1&rev=1606474962](https://datasetmeca.lisn.upsaclay.fr/doku.php?id=datasetmeca:ffsflow_1&rev=1606474962)

Last update: **2020/11/27 12:02**

